

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10529836"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:49
S2	2086	((WON) near2 (LEE)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 11:50
S3	997	((WON) near2 (LEE)).INV.	EPO; JPO; DERWENT	OR	ON	2008/09/12 11:51
S4	1241	"422/83".CCLS.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 11:54
S5	191	"422/83".CCLS.	EPO; JPO; DERWENT	OR	ON	2008/09/12 11:55
S6	2	("5788832").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:02
S7	2	("5936250").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:07
S8	45	portable near gas near sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:00
S10	25	time and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:03
S11	7	memory and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:03
S12	4118178	breath or air	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:04

S13	5	S12 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:04
S14	4118178	breath or air	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:18
S15	464200	sensor and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:18
S16	339673	time and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:18
S17	100893	memory and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:18
S18	53597	display and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:19
S19	14533	portable and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:19
S20	7982	voltage and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:20
S21	2897	concentration and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:20
S22	6515771	button or switch or power or on/off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:20

S23	2848	S22 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:21
S24	1163	calibration and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:21
S25	1019	computer and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:21
S26	1016	reference and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:22
S27	677	gas and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:22
S28	1845023	oh or alcohol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:23
S29	32	S27 and "677"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:23
S30	2989129	alcohol breath detection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:29
S31	29	alcohol near breath near detection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:29
S32	29	alcohol near breath near detection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:32

S33	24	time and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:32
S34	8	voltage and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:33
S35	208385	"29" and portable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:34
S36	12	portable and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:34
S37	11	time and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:42
S38	438	breathalyzer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:44
S39	378	time and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:44
S40	134	calibra\$5 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:44
S41	89	portable and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:44
S42	87	reference and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:45

S43	85	control and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:45
S44	66	voltage and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:45
S45	54	display and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:45
S46	47	memory and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:45
S47	47	sens\$4 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:46
S48	47	stor\$4 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:46
S49	47	(breath or air or gas)and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/14 15:47
S51	9868148	calibrate or graduate or fine- tune or adjust or set or correct or tag or label or mark or mensurate or measure adj out or measure or standardize	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:37
S52	386	alcohol near analyz \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:40

S53	9868229	S52 or S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:40
S54	305	S52 and S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:40
S55	4118174	breath or air	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:41
S56	193	S54 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:41
S57	94	sensor and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:41
S58	54	display and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:42
S59	43	stor\$3 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:43
S60	42	time and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 10:46
S61	0	"73".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:07
S62	405	73/23.3	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:10
S63	137	calibration and S62	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:11
S64	51	alcohol and S63	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:11
S65	1252120	memory andl4	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:13

S66	28	memory and S64	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:14
S67	25	display and S66	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:14
S68	7084732	control or reference	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:14
S69	25	S67 and S68	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:14
S70	25	(gas or breath or air) and S69	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:15
S71	17	(store or save) and S70	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:15
S72	17	time and S71	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:20
S73	6	S72 and calibrate	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/15 16:20
S74	2	("6418783").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 15:08
S75	2	("6422061").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/05 15:08
S76	8	"6418783" and breath and alcohol and calibrat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/05 15:12
S78	151	"73.1"	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:16
S79	0	"422.084"	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:16
S80	0	"422.84"	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:16
S81	0	422/84	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:16
S82	0	422/084	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:16
S83	0	422/084.ccls.	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:16
S85	0	"73.1.02"	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:18
S86	0	73/02	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:18

S87	0	73/2	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:18
S88	0	"73".S75.ccls.	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:18
S89	0	73/02.ccls.	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:18
S90	0	73/2.ccls.	EPO; JPO; DERWENT	OR	ON	2008/11/05 15:18
S91	27	422/84.ccls.	EPO; JPO; DERWENT	OR	ON	2008/11/06 07:47
S92	4262	calibrat\$4 and "27"	EPO; JPO; DERWENT	OR	ON	2008/11/06 10:04
S93	116	calibrat\$4 and "91"	EPO; JPO; DERWENT	OR	ON	2008/11/06 10:05
S94	27	422/84.ccls.	EPO; JPO; DERWENT	OR	ON	2008/11/06 10:05
S95	0	calibrat\$4 and S94	EPO; JPO; DERWENT	OR	ON	2008/11/06 10:05
S96	3	"73.01"	EPO; JPO; DERWENT	OR	ON	2008/11/06 10:06
S97	191	"422/83".CCLS.	EPO; JPO; DERWENT	OR	ON	2008/11/06 10:08
S98	406	73/23.3	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 10:08
S99	151	"73.1"	EPO; JPO; DERWENT	OR	ON	2008/11/06 10:08
S100	406	S97 or S98 or S99 or S94	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 10:09
S101	164	S100 and calibrat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 10:09
S102	113	S101 and breath	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 10:09
S103	53	S102 and (hand- held or handheld or portable)	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 10:10
S104	53	S103 and breath	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 10:10
S105	25	medium and S104	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 10:13
S106	50	method and S104	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 10:23
S107	1	"60196429"	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/06 11:41

11/ 6/ 2008 12:09:54 PM

C:\Documents and Settings\adamron\My Documents\EAST\Workspaces\10 529 836.wsp